IN THE CLAIMS:

1. (Currently Amended) A novel styryl compound represented by the following general formula (1):

wherein R¹ to R¹⁰ each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxyl group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxyl group having 6 to 18 carbon atoms, a substituted or unsubstituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon

atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by \mathbb{R}^3 to \mathbb{R}^{10} may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by \mathbb{R}^1 and \mathbb{R}^2 are not bonded to each other and form a saturated or unsaturated carbon ring; and

A, B, C and D each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and at least two of A, B, C and D each represent a group represented by -Ar¹-Ar², Ar¹ representing a substituted or unsubstituted phenylene group or naphthalene group and Ar² representing a substituted or unsubstituted aryl group having 6 to 34 carbon atoms, excluding a case in which A and C represent biphenyl group and B and D represent phenyl group.

2. (Currently Amended) A novel styryl compound represented by the following general formula (2):

wherein R¹ to R¹⁰ each independently represent hydrogen atom, a substituted or unsubstituted alkyl group having 1 to 30 carbon atoms, a substituted or unsubstituted alkoxyl group having 1 to 30 carbon atoms, a substituted or unsubstituted aryl group having 6 to 20 carbon atoms, a substituted or unsubstituted aryloxyl group having 6 to 18 carbon atoms, a substituted or unsubstituted or unsubstituted condensed polycyclic group having 6 to 30 carbon atoms, a substituted or unsubstituted heterocyclic group having 5 to 30 carbon atoms, amino group, an alkylamino group having 2 to 30 carbon atoms, an arylamino group having 6 to 30 carbon atoms, cyano group, nitro group, hydroxyl group or a halogen atom, and adjacent groups among groups represented by R³ to R¹⁰ may be bonded to each other and form a saturated or unsaturated carbon ring and the groups represented by R¹ and R² are not

bonded to each other and form a saturated or unsaturated carbon ring; and

A', B', C' and D' each independently represent a substituted or unsubstituted alkyl group having 1 to 20 carbon atoms or a substituted or unsubstituted aryl group having 6 to 40 carbon atoms, and A' and C' additionally each represent a substituted or unsubstituted condensed hydrocarbon group having 2 to 5 rings.

- 3. (Original) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein at least one of the layers of the film of organic compounds comprises a novel styryl compound described in Claim 1.
- 4. (Original) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which is disposed between the pair of electrodes and comprises a single

layer or a plurality of layers comprising at least a light emitting layer, wherein at least one of the layers of the film of organic compounds comprises a novel styryl compound described in Claim 2.

- 5. (Original) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein the light emitting layer comprises a novel styryl compound described in Claim 1.
- 6. (Original) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein the light emitting layer comprises a novel styryl compound described in Claim 2.

- 7. (Original) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein an electron injecting layer or a hole injecting layer comprises a novel styryl compound described in Claim 1.
- 8. (Original) An electroluminescence device comprising a pair of electrodes and a film of organic compounds which is disposed between the pair of electrodes and comprises a single layer or a plurality of layers comprising at least a light emitting layer, wherein an electron injecting layer or a hole injecting layer comprises a novel styryl compound described in Claim 2.
- 9. (Original) An electroluminescence device according to Claim 5, wherein a layer of an inorganic compound is disposed between the light emitting layer and the electrode.

- 10. (Original) An electroluminescence device according to Claim 6, wherein a layer of an inorganic compound is disposed between the light emitting layer and the electrode.
- 11. (Previously Presented) The styryl compound according to Claim 1 wherein R^1 to R^{10} each represents hydrogen and A, B, C and D each represent a biphenyl group.
- 12. (Previously Presented) The styryl compound according to Claim 1 wherein R^1 to R^{10} each represents hydrogen, A and C each represents a phenyl group, and B and D each represents a naphthyl group.
- 13. (Previously Presented) The styryl compound according to Claim 1 wherein R^1 to R^{10} each represents hydrogen, A and C each represents a phenyl group, and B and D each represents phenanthrenyl.

- 14. (Previously Presented) The styryl compound according to Claim 1 wherein R^1 to R^{10} each represents hydrogen, A and C each represents a phenyl group and B and D each represents methoxynaphthyl.
- 15. (New) The styryl compound according to Claim 1 wherein R^1 and R^{10} each represents hydrogen and A, B, C and D each represent a naphthyl group.